
PHASE 2 RENOVATIONS FOR

RICHLANDS BRANCH TAZEWELL COUNTY PUBLIC LIBRARY



271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133



KEY PLAN



PROJECT DESCRIPTION

THE PROJECT CONSISTS OF MISCELLANEOUS INTERIOR RENOVATIONS AND THE ADDITION OF AN ELEVATOR, A NEW STAIR TO THE ATTIC, AND A NEW LIBRARIAN'S OFFICE.

CODE ANALYSIS

APPLICABLE CODES:

ACCESSIBILITY:

2018 VIRGINIA EXISTING BUILDING CODE (VEBC) 2018 VIRGINIA CONSTRUCTION CODE (VCC) 2018 ICC INTERNATIONAL BUILDING CODE

CODE REQUIREMENTS **REFERENCES** VCC 303.4 & 310.4 OCCUPANCY CLASSIFICATION:

VCC TABLE 601 TYPE OF CONSTRUCTION:

BUILDING AREA:

FIRE ALARM: PROVIDED VCC 907.2

FIRE SEPARATION:

OCCUPANT LOAD

STAIR ENCLOSURE: NONE ELEVATOR SHAFT: 1 HR FIRE BARRIER

BASEMENT LEVEL 1 LEVEL 2 LEVEL 3 **TOTAL**

OCCUPANTS:

EXITS 2 PROVIDED

EGRESS DISTANCES COMMON PATH OF EGRESS TRAVEL: 84'

LEVEL:



DRAWING LIST

COVER PAGE

LOWER LEVEL PLAN LEVEL 1 FLOOR PLAN LEVEL 2 FLOOR PLAN LEVEL 3 FLOOR PLAN **ROOF PLAN** FIN. LEGEND&SCHED. & DOOR SCHED. **EXTERIOR ELEVATIONS** EXTERIOR ELEVATIONS **EXTERIOR ELEVATIONS EXTERIOR ELEVATIONS** A301 BUILDING SECTIONS **BUILDING SECTIONS** A302 **BUILDING SECTIONS ENLARGED TOILET PLANS & DETAILS** STAIR & ELEVATOR PLANS & SECTIONS DOOR & HARDWARE SCHEDULES CASEWORK ELEVATIONS MECHANICAL LOWER LEVEL PLAN

> MECHANICAL LEVEL 1 PLAN MECHANICAL LEVEL 2 PLAN MECHANICAL LEVEL 3 PLAN

PROJECT DIRECTORY

ERICA GALLOWAY TAZEWELL COUNTY LIBRARIAN 276-988-2541

ARCHITECT HUBER ARCHITECTS 651 NORTH MAIN STREET MARION, VIRGINIA 24354

BILL HUBER | 276 783 5133

CONTRACTOR

JOHN A. GARLAND, PE ROANOKE, VA 540-537-4581

No. 004127 8/4/23 ARCHITECT

COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308


8/4/2023 2:57:39 PM

COVER PAGE


1 PERMIT SET # DESCRIPTION DATE

- A. ALL DRAWINGS WERE CREATED FROM FIELD INVESTIGATION AND AVAILABLE RECORD DRAWINGS PROVIDED BY OWNER. GC TO VISIT SITE TO VERIFY EXISTING CONDITIONS. NOTIFY THE ARCHITECT IF ANY DISCREPANCIES ARE FOUND.
- B. GC TO COORDINATE WITH BUILDING WORK HOURS AND ALL REQUIREMENTS OF THE BUILDING RULES AND REGULATIONS.
- C. GC IS RESPONSIBLE FOR CHECKING CONTRACT DOCUMENTS AND FIELD CONDITIONS BEFORE PROCEEDING WITH DEMOLITION. CLARIFICATIONS REGARDING ANY CONFLICTS SHALL BE MADE TO ARCHITECT PRIOR TO START OF WORK.
- D. GC SHALL COORDINATE ALL PHASING OF THE WORK WITH BUILDING MANAGEMENT INCLUDING DELIVERIES OF EQUIPMENT AND MATERIALS, REMOVAL OF ALL DEBRIS INCLUDING RECYCLABLES AND DEMOLITION REUSABLES.
- E. CONDUCT DEMOLITION TO MINIMIZE INTERFERENCE WITH ADJACENT BUILDING AREAS. MAINTAIN PROTECTED EGRESS AND ACCESS AT ALL
- F. PROTECT ALL EXISTING TO REMAIN SURFACES AND PARTITIONS DURING DEMOLITION. CONTRACTOR SHALL EXERCISE CARE IN REMOVING DEMOLITION ITEMS AND SHALL REPAIR OR REPLACE AT HIS COST ANY DAMAGE CAUSED TO EXISTING CONSTRUCTION AND EQUIPMENT TO REMAIN
- G. REMOVE EXISTING FINISHES AS NEEDED TO INSTALL NEW WORK AND/OR FINISHES. COORDINATE WITH FLOOR PLANS AND FINISH PLANS AS
- H. ALL MATERIALS REMOVED DURING DEMOLITION (AND NOT TO BE RELOCATED) SHALL BECOME THE PROPERTY OF THE CONTRACTOR WHO SHALL REMOVE THEM FROM THE SITE AND DISPOSE OF THEM IN A LEGAL, SAFE MANNER, UNLESS NOTED OTHERWISE.
- UNLESS NOTED TO REMAIN, REMOVE EXISTING FLOOR COVERINGS, WALL SURFACES, AND CEILINGS THROUGHOUT AS NECESSARY TO ACHIEVE THE FINAL DESIGN INDICATED IN THESE DRAWINGS.
- J. REMOVE ALL GYPSUM BOARD DOWN TO STRUCTURE, UNLESS NOTED OTHERWISE.
- K. THE EXISTING EMERGENCY ELECTRICAL SYSTEM INCLUDING THE EMERGENCY ELECTRICAL SERVICE, EXIT SIGNS, EMERGENCY LIGHTS, AND FIRE ALARM SYSTEM SHALL BE PROTECTED AND REMAIN IN SERVICE THROUGHOUT THE DEMOLITION WORK.
- L. SPRINKLER SYSTEM TO REMAIN OPERATIONAL DURING DEMOLITION AND CONSTRUCTION INSOFAR AS POSSIBLE.

DEMO PLAN LEGEND




1 LOWER LEVEL FLOOR PLAN
1/4" = 1'-0"




FLOOR PLAN GENERAL NOTES

- A. PREP, REPAIR AND SMOOTH ALL SUBSTRATES AS NEEDED FOR SCHEDULED FLOOR AND WALL FINISHES
- CONEDULES I LOCKY WAS WALL I WHON LO
- DO NOT LEAVE ANY SURFACE IN AN UNFINISHED STATE
- C. PATCH & REPAIR ALL ADJACENT FINISHES AFTER DEMOLITION
- D. PROVIDE FLOOR TRANSITIONS BETWEEN DISSIMILAR FLOOR FINISHES TYP.

FLOOR PLAN LEGEND



EXTERIOR WALL ASSEMBLY



EW2 PROPOSED EXTERIOR WALL



651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133


271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

EWELL

ICHLANDS BRANCH TAZE OUNTY PUBLIC LIBRARY

1 PERMIT SET

DESCRIPTION DATE




COPYRIGHT: 2021 ALL RIGHTS RESERVED.
PRINTED OR ELECTRONIC DRAWINGS AND
DOCUMENTATION MAY NOT BE REPRODUCED
IN ANY FORM WITHOUT WRITTEN PERMISSION
FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

ATE: 8/4/2023 2:57:40 PM


LOWER LEVEL PLAN


A101



- ALL DRAWINGS WERE CREATED FROM FIELD INVESTIGATION AND AVAILABLE RECORD DRAWINGS PROVIDED BY OWNER. GC TO VISIT SITE TO VERIFY EXISTING CONDITIONS. NOTIFY THE ARCHITECT IF ANY DISCREPANCIES ARE FOUND.
- GC TO COORDINATE WITH BUILDING WORK HOURS AND ALL REQUIREMENTS OF THE BUILDING RULES AND REGULATIONS.
- GC IS RESPONSIBLE FOR CHECKING CONTRACT DOCUMENTS AND FIELD CONDITIONS BEFORE PROCEEDING WITH DEMOLITION. CLARIFICATIONS REGARDING ANY CONFLICTS SHALL BE MADE TO ARCHITECT PRIOR TO START OF WORK.
- GC SHALL COORDINATE ALL PHASING OF THE WORK WITH BUILDING MANAGEMENT INCLUDING DELIVERIES OF EQUIPMENT AND MATERIALS, REMOVAL OF ALL DEBRIS INCLUDING RECYCLABLES AND DEMOLITION REUSABLES.
- CONDUCT DEMOLITION TO MINIMIZE INTERFERENCE WITH ADJACENT BUILDING AREAS. MAINTAIN PROTECTED EGRESS AND ACCESS AT ALL
- PROTECT ALL EXISTING TO REMAIN SURFACES AND PARTITIONS DURING DEMOLITION. CONTRACTOR SHALL EXERCISE CARE IN REMOVING DEMOLITION ITEMS AND SHALL REPAIR OR REPLACE AT HIS COST ANY DAMAGE CAUSED TO EXISTING CONSTRUCTION AND EQUIPMENT TO
- REMOVE EXISTING FINISHES AS NEEDED TO INSTALL NEW WORK AND/OR FINISHES. COORDINATE WITH FLOOR PLANS AND FINISH PLANS AS
- ALL MATERIALS REMOVED DURING DEMOLITION (AND NOT TO BE RELOCATED) SHALL BECOME THE PROPERTY OF THE CONTRACTOR WHO SHALL REMOVE THEM FROM THE SITE AND DISPOSE OF THEM IN A LEGAL, SAFE MANNER, UNLESS NOTED OTHERWISE.
- UNLESS NOTED TO REMAIN, REMOVE EXISTING FLOOR COVERINGS, WALL SURFACES, AND CEILINGS THROUGHOUT AS NECESSARY TO ACHIEVE THE FINAL DESIGN INDICATED IN THESE DRAWINGS.
- REMOVE ALL GYPSUM BOARD DOWN TO STRUCTURE, UNLESS NOTED OTHERWISE.
- THE EXISTING EMERGENCY ELECTRICAL SYSTEM INCLUDING THE EMERGENCY ELECTRICAL SERVICE, EXIT SIGNS, EMERGENCY LIGHTS, AND FIRE ALARM SYSTEM SHALL BE PROTECTED AND REMAIN IN SERVICE THROUGHOUT THE DEMOLITION WORK.
- SPRINKLER SYSTEM TO REMAIN OPERATIONAL DURING DEMOLITION AND CONSTRUCTION INSOFAR AS POSSIBLE.

DEMO PLAN LEGEND






FLOOR PLAN GENERAL NOTES

- PREP, REPAIR AND SMOOTH ALL SUBSTRATES AS NEEDED FOR SCHEDULED FLOOR AND WALL FINISHES
- DO NOT LEAVE ANY SURFACE IN AN UNFINISHED STATE
- PATCH & REPAIR ALL ADJACENT FINISHES AFTER DEMOLITION
- PROVIDE FLOOR TRANSITIONS BETWEEN DISSIMILAR FLOOR FINISHES - TYP.

FLOOR PLAN LEGEND





651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801

TEL: 540.416.1022

ZE

1 PERMIT SET

ENO

DESCRIPTION

8/4/23 ARCHITEC'

COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308


8/4/2023 2:57:41 PM


LEVEL 1 FLOOR PLAN



- A. ALL DRAWINGS WERE CREATED FROM FIELD INVESTIGATION AND AVAILABLE RECORD DRAWINGS PROVIDED BY OWNER. GC TO VISIT SITE TO VERIFY EXISTING CONDITIONS. NOTIFY THE ARCHITECT IF ANY DISCREPANCIES ARE FOUND.
- B. GC TO COORDINATE WITH BUILDING WORK HOURS AND ALL REQUIREMENTS OF THE BUILDING RULES AND REGULATIONS.
- C. GC IS RESPONSIBLE FOR CHECKING CONTRACT DOCUMENTS AND FIELD CONDITIONS BEFORE PROCEEDING WITH DEMOLITION. CLARIFICATIONS REGARDING ANY CONFLICTS SHALL BE MADE TO ARCHITECT PRIOR TO START OF WORK.
- D. GC SHALL COORDINATE ALL PHASING OF THE WORK WITH BUILDING MANAGEMENT INCLUDING DELIVERIES OF EQUIPMENT AND MATERIALS, REMOVAL OF ALL DEBRIS INCLUDING RECYCLABLES AND DEMOLITION REUSABLES.
- E. CONDUCT DEMOLITION TO MINIMIZE INTERFERENCE WITH ADJACENT BUILDING AREAS. MAINTAIN PROTECTED EGRESS AND ACCESS AT ALL
- F. PROTECT ALL EXISTING TO REMAIN SURFACES AND PARTITIONS DURING DEMOLITION. CONTRACTOR SHALL EXERCISE CARE IN REMOVING DEMOLITION ITEMS AND SHALL REPAIR OR REPLACE AT HIS COST ANY DAMAGE CAUSED TO EXISTING CONSTRUCTION AND EQUIPMENT TO REMAIN
- G. REMOVE EXISTING FINISHES AS NEEDED TO INSTALL NEW WORK AND/OR FINISHES. COORDINATE WITH FLOOR PLANS AND FINISH PLANS AS NECESSARY.
- H. ALL MATERIALS REMOVED DURING DEMOLITION (AND NOT TO BE RELOCATED) SHALL BECOME THE PROPERTY OF THE CONTRACTOR WHO SHALL REMOVE THEM FROM THE SITE AND DISPOSE OF THEM IN A LEGAL, SAFE MANNER, UNLESS NOTED OTHERWISE.
- UNLESS NOTED TO REMAIN, REMOVE EXISTING FLOOR COVERINGS, WALL SURFACES, AND CEILINGS THROUGHOUT AS NECESSARY TO ACHIEVE THE FINAL DESIGN INDICATED IN THESE DRAWINGS.
- J. REMOVE ALL GYPSUM BOARD DOWN TO STRUCTURE, UNLESS NOTED OTHERWISE.
- K. THE EXISTING EMERGENCY ELECTRICAL SYSTEM INCLUDING THE EMERGENCY ELECTRICAL SERVICE, EXIT SIGNS, EMERGENCY LIGHTS, AND FIRE ALARM SYSTEM SHALL BE PROTECTED AND REMAIN IN SERVICE THROUGHOUT THE DEMOLITION WORK.
- L. SPRINKLER SYSTEM TO REMAIN OPERATIONAL DURING DEMOLITION AND CONSTRUCTION INSOFAR AS POSSIBLE.

DEMO PLAN LEGEND





FLOOR PLAN GENERAL NOTES

- A. PREP, REPAIR AND SMOOTH ALL SUBSTRATES AS NEEDED FOR SCHEDULED FLOOR AND WALL FINISHES
- B. DO NOT LEAVE ANY SURFACE IN AN UNFINISHED STATE
- 5. BOTTOT EETVE THAT GOTT THOSE HAT HAT ONLING HER GITTE
- C. PATCH & REPAIR ALL ADJACENT FINISHES AFTER DEMOLITION
- D. PROVIDE FLOOR TRANSITIONS BETWEEN DISSIMILAR FLOOR FINISHES TYP.

FLOOR PLAN LEGEND

EXISTING WALL TO REMAIN

NEW WALL

EXISTING DOOR TO REMAIN

NEW DOOR

EXISTING WINDOW TO REMAIN

NEW WINDOW

OL= OCCUPANT LOAD



651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801

TEL: 540.416.1022


S FOR SANCH TAZEWELL IC LIBRARY

SUFFOLK AVENUE

ENO

1 PERMIT SET

DESCRIPTION DATE



COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

DATE: 8/4/2023 2:57:41 PM


LEVEL 2 FLOOR PLAN


A103



- ALL DRAWINGS WERE CREATED FROM FIELD INVESTIGATION AND AVAILABLE RECORD DRAWINGS PROVIDED BY OWNER. GC TO VISIT SITE TO VERIFY EXISTING CONDITIONS. NOTIFY THE ARCHITECT IF ANY DISCREPANCIES ARE FOUND.
- GC TO COORDINATE WITH BUILDING WORK HOURS AND ALL REQUIREMENTS OF THE BUILDING RULES AND REGULATIONS.
- GC IS RESPONSIBLE FOR CHECKING CONTRACT DOCUMENTS AND FIELD CONDITIONS BEFORE PROCEEDING WITH DEMOLITION. CLARIFICATIONS REGARDING ANY CONFLICTS SHALL BE MADE TO ARCHITECT PRIOR TO START OF WORK.
- GC SHALL COORDINATE ALL PHASING OF THE WORK WITH BUILDING MANAGEMENT INCLUDING DELIVERIES OF EQUIPMENT AND MATERIALS, REMOVAL OF ALL DEBRIS INCLUDING RECYCLABLES AND DEMOLITION REUSABLES.
- CONDUCT DEMOLITION TO MINIMIZE INTERFERENCE WITH ADJACENT BUILDING AREAS. MAINTAIN PROTECTED EGRESS AND ACCESS AT ALL
- PROTECT ALL EXISTING TO REMAIN SURFACES AND PARTITIONS DURING DEMOLITION. CONTRACTOR SHALL EXERCISE CARE IN REMOVING DEMOLITION ITEMS AND SHALL REPAIR OR REPLACE AT HIS COST ANY DAMAGE CAUSED TO EXISTING CONSTRUCTION AND EQUIPMENT TO
- REMOVE EXISTING FINISHES AS NEEDED TO INSTALL NEW WORK AND/OR FINISHES. COORDINATE WITH FLOOR PLANS AND FINISH PLANS AS
- ALL MATERIALS REMOVED DURING DEMOLITION (AND NOT TO BE RELOCATED) SHALL BECOME THE PROPERTY OF THE CONTRACTOR WHO SHALL REMOVE THEM FROM THE SITE AND DISPOSE OF THEM IN A LEGAL, SAFE MANNER, UNLESS NOTED OTHERWISE.
- UNLESS NOTED TO REMAIN, REMOVE EXISTING FLOOR COVERINGS, WALL SURFACES, AND CEILINGS THROUGHOUT AS NECESSARY TO ACHIEVE THE FINAL DESIGN INDICATED IN THESE DRAWINGS.
- REMOVE ALL GYPSUM BOARD DOWN TO STRUCTURE, UNLESS NOTED OTHERWISE.
- THE EXISTING EMERGENCY ELECTRICAL SYSTEM INCLUDING THE EMERGENCY ELECTRICAL SERVICE, EXIT SIGNS, EMERGENCY LIGHTS, AND FIRE ALARM SYSTEM SHALL BE PROTECTED AND REMAIN IN SERVICE THROUGHOUT THE DEMOLITION WORK.
- SPRINKLER SYSTEM TO REMAIN OPERATIONAL DURING DEMOLITION AND CONSTRUCTION INSOFAR AS POSSIBLE.

DEMO PLAN LEGEND






FLOOR PLAN GENERAL NOTES

- PREP, REPAIR AND SMOOTH ALL SUBSTRATES AS NEEDED FOR SCHEDULED FLOOR AND WALL FINISHES
- DO NOT LEAVE ANY SURFACE IN AN UNFINISHED STATE
- PATCH & REPAIR ALL ADJACENT FINISHES AFTER DEMOLITION
- PROVIDE FLOOR TRANSITIONS BETWEEN DISSIMILAR FLOOR
- FINISHES TYP.

FLOOR PLAN LEGEND





651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801


TEL: 540.416.1022

ZEWEI

ENO

1 PERMIT SET


DESCRIPTION




COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308 8/4/2023 2:57:42 PM

LEVEL 3 FLOOR PLAN





ROOF PLAN NOTES

- PROVIDE PRE-FINISHED METAL GUTTERS & DOWNSPOUTS IN SIZES AND PROFILES INDICATED
- COORDINATE DOWNSPOUT DRAINAGE, PER LOCATIONS INDICATED, WITH CIVIL DRAWINGS
- C. ALL DOWNSPOUTS TO BE 3" X 4" PROFILE
- D. ALL GUTTERS TO BE 6" OGEE PROFILE

ROOF PLAN LEGEND



INDICATED AREA OF ICE & WATER SHIELD

ROOF PLAN KEYNOTES

NUMBERED KEYED NOTES LISTED BELOW MAY NOT APPLY TO EVERY SHEET. ONLY NUMBERS KEYED ON SHEET SHALL APPLY.




651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ENOVATIONS

1 PERMIT SET

DESCRIPTION DATE



COPYRIGHT: 2021 ALL RIGHTS RESERVED.
PRINTED OR ELECTRONIC DRAWINGS AND
DOCUMENTATION MAY NOT BE REPRODUCED
IN ANY FORM WITHOUT WRITTEN PERMISSION
FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

DATE: 8/4/2023 2:57:42 PM

ROOF PLAN

FINISH SCHEDULE											
	BASE				WALLS				CEILING		
ROOM NAME	FLOOR	MATERIAL	HEIGHT	NORTH	EAST	SOUTH	WEST	MATERIAL	HEIGHT	REMARK	
.EVEL 1											
NEW OFFICE	CPT-1	WD-01	0' - 4"	P-01							
MEN	PC-01	-									
WOMEN	PC-01	-									
HALL	-	-				P-01					
TOILET ELEVATOR STACKS STACKS PICTORIALS REFERENCE/STACKS	PC-01										
NEW STAIR	CPT-1	-		P-01	P-01	P-01	P-01				
EVEL 3											
MECHANICAL ATTIC	-	-									
CONFERENCE	CPT-1	WD-01	0' - 4"								
CHILDREN'S ACTIVITY AREA	CPT-1	WD-01	0' - 4"								
ELEVATOR	CPT-1	WD-01	0' - 4"								

	FINISH LEGEND						
KEY	MANUFACTURER	DESCRIPTION	PRODUCT	COLOR	REMARKS		
CARPET	<u>'</u>						
CPT-1	TBD	TBD	TBD	TBD	\$30/SY MAT'L ALLOW		
PORCELAIN	TILE						
PC-01	TBD	TBD	TBD	TBD			
PAINT							
P-01	TBD	TBD	TBD	TBD			
PLASTIC LAN	IINATE						
PL-01	TBD	TBD	TBD	TBD			
PL-02	TBD	TBD	TBD	TBD			
SOLID SURFA	ACE						
SS-01	TBD	TBD	TBD	TBD			
WOOD							
WD-01	TBD	TBD	TBD	TBD	MATCH EX.		

FINISH SCHEDULE ABBREVIATIONS

ACT = ACOUSTIC CEILING TILE	PL = PLASTIC LAMINATE	U.N.O. = UNLESS NOTED OTHERWISE
C = CONCRETE	R = RESILIENT FLOORING	VCT = VINYL COMPOSITION TILE
CPT = CARPET	SS = SOLID SURFACE	WD = WOOD
FB = FABRIC	T = TILE	WS = WOOD STAIN

LVT = LUXURY VINYL TILE TBD = TO BE DETERMINED

P = PAINTTR = TRIM

FINISH PLAN NOTES

A.	PREP, REPAIR AND SMOOTH ALL SUBSTRATES AS NEEDED FOR
	SCHEDULED FLOOR AND WALL FINISHES

B. PROVIDE TRANSITION STRIPS BETWEEN DISSIMILAR MATERIALS

C. PAINT IN RESTROOMS TO BE SEMI-GLOSS PAINT

D. STAIN, URETHANE WD. HANDRAILS

E. ALL WOOD DOORS TO BE FACTORY PRE-FINISHED TO MATCH

I. PAINT ALL WALLS & BASEBOARD TO MATCH EXISTING

DOOR SCHEDULE												
DOOR FRAME												
MARK	WIDTH	HEIGHT	TYPE	MATERIAL	FINISH	TYPE	MATERIAL	FINISH	RATING	CLOSER	HARDWARE	REMARKS
LOWER LE	VEL											
001	2' - 8"	6' - 8"	-	WD	MATCH EX.	HM1	MTL	PNT	-	-	5	MATCH EX. DOORS
002	3' - 0"	6' - 8"	-	HM	MATCH EX.	HM1	HM	PNT	60-MIN	-	-	-
003	2' - 0"	2' - 0"	-	-	-	-	-	-	-	-	-	-
004	Y ELEVATION 3' - 6"	6' - 8"	-	-	-	-	-	-	-	-	-	-
005	1' - 6"	1' - 6"		WD	MATCH EX.	WD	WD	PNT	60-MIN	X	7	RATED ACCESS DOOR
LEVEL 1												
101	2' - 8"	6' - 8"	-	-	-	HM1	MTL	PNT	-	-	3	MATCH EX. DOORS
102	4' - 0"	6' - 8"	F2	WD	MATCH EX.	HM1	MTL	PNT			1	MATCH EX. DOORS
103	1' - 6"	6' - 8"	-	WD	MATCH EX.	HM1	MTL	PNT	-	-	1	MATCH EX. DOORS
LEVEL 2												
201	3' - 0"	6' - 8"	-	-	-	-	-	-	-	-	RESTROOM	MATCH EX. DOORS

	DOOR HARDWARE SET LIST						
SET	HARDWARE TYPE	LOCKSET	HINGES	FRAME SILENCER	KICKPLATE		
1	PASSAGE	PASSAGE LOCKSET	1 1/2 PR - BB 5 KNUCKLE	Yes	No		
2	PRIVACY	PRIVACY LOCKSET	1 1/2 PR - BB 5 KNUCKLE	Yes	No		
3	OFFICE, LOCKING	OFFICE LOCKSET	1 1/2 PR - BB 5 KNUCKLE	Yes	No		
4	CLASSROOM	CLASSROOM LOCKSET	1 1/2 PR - BB 5 KNUCKLE	Yes	No		
5	STORAGE	STORAGE LOCKSET	1 1/2 PR - BB 5 KNUCKLE	Yes	No		
6	RESTROOM	PUSH/PULL	1 1/2 PR - BB 5 KNUCKLE	Yes	Yes		
7	EGRESS	PANIC DEVICE - PUSH BAR	1 1/2 PR - BB 5 KNUCKLE	Yes	No		
8	ENTRY	PANIC DEVICE - PUSH BAR	3 PR -BB 5 KNUCKLE	Yes	Yes		

DOOR & HARDWARE NOTES

DOOR SCHEDULE LEGEND (ABBREVIATIONS USED IN SCHEDULE)

AL = ALUMINUM FG = FULL GLASS PRE-FIN = FACTORY FINISH AN = ANODIZED HM = HOLLOW METAL WD= WOOD

F = FLUSH PNT = PAINT

ANSI FUNCTIONS

F-36 PRIVACY LOCK

F-75 PASSAGE SET F-81 ENTRANCE LOCK

F-82 OFFICE LOCK F-84 CLASSROOM LOCK

F-86 STORAGE LOCK

DOOR SCHEDULE GENERAL NOTES

1. GLAZING IN DOORS SHALL BE TEMPERED U.N.O. 2. GLAZING IN EXTERIOR DOORS TO BE INSULATED

3. GLAZING SIZES SHALL COMPLY WITH THE SIZE LIMITATIONS OF NFPA 80 4. GLAZING IN FIRE-RATED DOORS TO BE FIRE RATED. NO WIRE GLASS IS ALLOWED.

5. HOLLOW METAL FRAMES TO BE FULLY WELDED

6. CONTRACTOR TO COORDINATE ALL JAMB DEPTHS WITH WALL THICKNESS
7. EXTERIOR ROUGH OPENINGS TO BE SEALED WITH SEALANT AND BACKER-ROD

8. PROVIDE COMMERCIAL GRADE DOOR HARDWARE

9. DOOR HARDWARE TO COMPLY WITH GRASPABILITY AND MOUNTING REQUIREMENTS PER IBC SECTION 1008.

10. PROVIDE REMOVABLE CORES AND KEY TO OWNER'S SYSTEM
11. FIRE DOOR ASSEMBLIES SHALL BE LABELED BY AN APPROVED AGENCY. THE LABELS SHALL COMPLY WITH

NFPA 80 AND SHALL BE PERMANENTLY AFFIXED TO THE DOOR OR FRAME


12. PROVIDE SOLID F.R.T. WOOD BLOCKING AT WALL STOP LOCATIONS
13. PROVIDE WEATHERSTRIPPING, DOOR SWEEPS, THRESHOLD AND DRIP CAPS AT EXTERIOR DOORS

651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133 271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ENOVATIONS

1 PERMIT SET

DESCRIPTION DATE



COPYRIGHT: 2021 ALL RIGHTS RESERVED.
PRINTED OR ELECTRONIC DRAWINGS AND
DOCUMENTATION MAY NOT BE REPRODUCED
IN ANY FORM WITHOUT WRITTEN PERMISSION
FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

DATE: 8/4/2023 2:57:43 PM

FIN. LEGEND&SCHED. & DOOR SCHED.

ELEVATION NOTES

- A. NOTE 1 B. NOTE 2
- C. NOTE 3

ELEVATION LEGEND


EXISTING TO REMAIN




ELEVATION KEYNOTES

- NUMBERED KEYED NOTES LISTED BELOW MAY NOT APPLY TO EVERY SHEET. ONLY NUMBERS KEYED ON SHEET SHALL APPLY.

 NEW DOOR
- 2 NEW WINDOW








651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ENOVATIONS

1 PERMIT SET

DESCRIPTION




COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT:

8/4/2023 2:57:44 PM

EXTERIOR ELEVATIONS



1 WEST 1 ELEVATION 1/4" = 1'-0"

ELEVATION NOTES

- A. NOTE 1 B. NOTE 2
- C. NOTE 3

ELEVATION LEGEND

EXISTING TO REMAIN



ELEVATION KEYNOTES

- NUMBERED KEYED NOTES LISTED BELOW MAY NOT APPLY TO EVERY SHEET. ONLY NUMBERS KEYED ON SHEET SHALL APPLY.
- NEW DOOR 2 NEW WINDOW




651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133 271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ENOVATIONS

1 PERMIT SET

DESCRIPTION



COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

8/4/2023 2:57:45 PM


EXTERIOR ELEVATIONS



ELEVATION NOTES

- A. NOTE 1
- B. NOTE 2
- C. NOTE 3

ELEVATION LEGEND





ELEVATION KEYNOTES

- NUMBERED KEYED NOTES LISTED BELOW MAY NOT APPLY TO EVERY SHEET. ONLY NUMBERS KEYED ON SHEET SHALL APPLY.
- NEW DOOR 2 NEW WINDOW



651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133 271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ENOVATIONS

1 PERMIT SET

DESCRIPTION DATE

COPYRIGHT: 2021 ALL RIGHTS RESERVED.
PRINTED OR ELECTRONIC DRAWINGS AND
DOCUMENTATION MAY NOT BE REPRODUCED
IN ANY FORM WITHOUT WRITTEN PERMISSION
FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

8/4/2023 2:57:46 PM


EXTERIOR ELEVATIONS

1 EAST ELEVATION 1/4" = 1'-0"

ELEVATION NOTES

- A. NOTE 1
- B. NOTE 2
- C. NOTE 3

ELEVATION LEGEND





ELEVATION KEYNOTES

- NUMBERED KEYED NOTES LISTED BELOW MAY NOT APPLY TO EVERY SHEET. ONLY NUMBERS KEYED ON SHEET SHALL APPLY.
- NEW DOOR 2 NEW WINDOW



1 SOUTH ELEVATION 1/4" = 1'-0"




651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ENOVATIONS

1 PERMIT SET

DESCRIPTION DATE



COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

8/4/2023 2:57:47 PM

EXTERIOR ELEVATIONS

BUILDING SECTION NOTES

- B. NOTE 2
- C. NOTE 3


BUILDING SECTION LEGEND

EXISTING TO REMAIN

NEW CONSTRUCTION

BUILDING SECTION KEYNOTES

NUMBERED KEYED NOTES LISTED BELOW MAY NOT APPLY TO EVERY SHEET. ONLY NUMBERS KEYED ON SHEET SHALL APPLY.



1 Section 5 1/4" = 1'-0"

A. NOTE 1


Huber Architects 651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ENOVATIONS

1 PERMIT SET

DESCRIPTION DATE



COPYRIGHT: 2021 ALL RIGHTS RESERVED.
PRINTED OR ELECTRONIC DRAWINGS AND
DOCUMENTATION MAY NOT BE REPRODUCED
IN ANY FORM WITHOUT WRITTEN PERMISSION
FROM HUBER ARCHITECTS, PC.

PROJECT: 2308


8/4/2023 2:57:47 PM

BUILDING SECTIONS

BUILDING SECTION NOTES


- A. NOTE 1B. NOTE 2
- b. NOTE 2
- C. NOTE 3

BUILDING SECTION LEGEND



NEW CONSTRUCTION

NUMBERED KEYED NOTES LISTED BELOW MAY NOT APPLY TO EVERY SHEET. ONLY NUMBERS KEYED ON SHEET SHALL APPLY.





651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133 271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

BUILDING SECTION KEYNOTES

PHASE 2 RENOVATIONS FOR

RICHLANDS BRANCH TAZEWEI

COUNTY PUBLIC LIBRARY

1 PERMIT SET

DESCRIPTION DATE



COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

DATE: 8/4/2023 2:57:48 PM

BUILDING SECTIONS

A302

1 Section 6 1/4" = 1'-0"

BUILDING SECTION NOTES

- A. NOTE 1
- B. NOTE 2
- C. NOTE 3

BUILDING SECTION LEGEND



BUILDING SECTION KEYNOTES

NUMBERED KEYED NOTES LISTED BELOW MAY NOT APPLY TO EVERY SHEET. ONLY NUMBERS KEYED ON SHEET SHALL APPLY.




651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ENOVATIONS

1 PERMIT SET

DESCRIPTION DATE





COPYRIGHT: 2021 ALL RIGHTS RESERVED.
PRINTED OR ELECTRONIC DRAWINGS AND
DOCUMENTATION MAY NOT BE REPRODUCED
IN ANY FORM WITHOUT WRITTEN PERMISSION
FROM HUBER ARCHITECTS, PC.


PROJECT: 2308


DATE: 8/4/2023 2:57:48 PM


BUILDING SECTIONS







































TYPICAL MOUNTING HEIGHTS







TOILETS MEN & WOMEN ENLARGED
PLAN
3/8" = 1'-0"

TOILET ROOMS GENERAL NOTES

- A. SEE ACCESSIBILITY NOTES AND DIAGRAMS FOR DIMENSIONS GOVERNING SIZE AND LOCATION OF FIXTURES, APPLIANCES, ACCESSORIES, DOORS, AND CASEWORK.
- B. ALL TOILET ROOMS & RESTROOMS WITH TILE FLOORING SHALL HAVE MATCHING TILE BASE INSTALLED AROUND ENTIRE PERIMETER OF ROOM EVEN IF NOT SHOWN IN ELEVATIONS, TYP. U.N.O. REFER TO FINISH DRAWINGS FOR MORE INFORMATION & ANY EXCEPTIONS.
- SEE FINISH PLANS FOR RESTROOM & TOILET ROOM FINISHES.
- D. NO TOILET ACCESSORIES SHALL BE MOUNTED TO MIRRORS.
- E. ALL TOILET ACCESSORIES, HARDWARE METALS AND PLASTICS TO HAVE MATCHING COLOR & FINISH. COLOR & FINISH TO BE SELECTED BY ARCHITECT DURING SHOP DRAWING REVIEW PRIOR TO PURCHASING, SEE SPECS.
- F. ALL DIMENSIONS INDICATED ON ENLARGED TOILET ROOM PLANS ARE TO FACE OF STUD, FACE OF MASONRY, OR FACE OF EXISTING WALL CONSTRUCTION TO REMAIN, U.N.O.

TOILET ACCESSORIES KEYNOTES

- 0 NUMBERED KEYED NOTES LISTED BELOW MAY NOT APPLY TO EVERY SHEET. ONLY NUMBERS KEYED ON SHEET SHALL APPLY.
- BOBRICK B-5806X42 42" HORIZ. GRAB BAR
- 2 BOBRICK B-5806X36 36" HORIZ. GRAB BAR
- 3 BOBRICK B-5806X18 18" VERT. GRAB BAR
- 4 BOBRICK B-4288 SURFACE-MOUNTED TOILET TISSUE DISPENSER
 5 BOBRICK B-4112 SURFACE-MOUNTED SOAP DISPENSER
- BOBRICK B-4112 SURFACE-MOUNTED SOAP DISPENSER
 BOBRICK B-1658 2436 TEMPERED GLASS CHANNEL FRAME MIRROR
- 7 BOBRICK B-1036 2430 TEMPERED GLASS CHANNEL FRAME MIRROR
 7 BOBRICK B-4262 SURFACE-MOUNTED PAPER TOWEL DISPENSER
- BOBRICK B-4262 SURFACE-MOUNTED PAPER TO'
 BABY CHANGING STATION, 35" X 20"



651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ENOVATIONS FOR ANDS BRANCH TAZEWE

1 PERMIT SET

DESCRIPTION

WILLIAMW. HUBER, JR.
No. 004127

8/4/23


COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.


PROJECT: 2308

DATE: 8/4/2023 2:57:49 PM

ENLARGED TOILET PLANS & DETAILS

A401





651 NORTH MAIN STREET, SUITE 5

MARION, VA 24354 TEL: 276.783.5133

TEL: 540.416.1022


271 WEST VIEW STREET

HARRISONBURG, VA 22801

M Z

Ž Ш

1 PERMIT SET # DESCRIPTION





COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.


PROJECT: 2308


DATE: 8/4/2023 2:57:50 PM


STAIR & ELEVATOR PLANS & SECTIONS











1 RECEPTION ENLARGED PLAN 3/8" = 1'-0"



651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133 271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ZEWELI **ENOVATIONS**

1 PERMIT SET


DESCRIPTION DATE

8/4/23

COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308 8/4/2023 2:57:51 PM

CASEWORK **ELEVATIONS**



1 LOWER LEVEL MEP PLAN 1/4" = 1'-0"

MEP GENERAL NOTES

- A. TIE TO EXIST. ELECT. & PLUMBING SYSTEM.
- B. PLUMBING SUPPLY LINES TO BE PEX, WASTE TO BE SCH. 40 PVC.
- C. ELECTRICAL WIRING TYPICALLY TO BE ROMEX. ALL JB'S TO BE ACCESSIBLE. TIE TO EXIST. CIRCUITS EXCEPT AS NOTED.
- D. REMOVE EXIST. DEVICES/EQUIP. NOT NEEDED WITH COMPLETED RENOVATIONS.

LIGHTING FIXTURE SCHEDULE

TYPE A	2X4 SURFACE MOUNTED LED. LITHONIA CPANEL 2X4 AL 6" DIA. SWW7
TYPE B	WAC WS-180120-30-CH LED VANITY

TYPE C HALCO 82990 SURFACE MOUNTED 6" DIA. LED

KEYLESS PORC FIXTURE W/ LED BULB TYPE D & GUARD

48" UTILITY LED STRIP LIGHT TYPE E

PLUMBING FIXTURE SCHEDULE

ELKAY D11721 DROP-IN S.S. SINK W/ AMERICAN STANDARD 7500.170 GOOSENECK FAUCET. 1/2" HOT & COLD, 1 1/2" PVC DRAIN, STUDER **VENT**

AMERICAN STANDARD CADET 3, ELONGATED COMFORT HEIGHT W/ SOFT CLOSE SEAT. 1/2" COLD, 3"

WASTE

LAV-1 AMERICAN STANDARD AQUALYN W/ BRASS POP-UP DRAIN, BRAIDED HOT & COLD SUPPLIES, DELTA PORTWOOD

FAUCET

FIRE ALARM SCHEDULE

FIRE ALARM PANEL PER VCC 907 & NFPA 72

SMOKE DETECTOR - TIE TO FA

MANUAL PULL

HEAT DETECTOR

Huber Architects


271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

ZEWELL OR **ENOVATIONS**

1 PERMIT SET

DESCRIPTION DATE




COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

DATE: 8/4/2023 2:57:51 PM

MECHANICAL LOWER LEVEL PLAN



MEP GENERAL NOTES

A. TIE TO EXIST. ELECT. & PLUMBING SYSTEM.

B. PLUMBING SUPPLY LINES TO BE PEX, WASTE TO BE SCH. 40 PVC.

C. ELECTRICAL WIRING TYPICALLY TO BE ROMEX. ALL JB'S TO BE ACCESSIBLE. TIE TO EXIST. CIRCUITS EXCEPT AS NOTED.

D. REMOVE EXIST. DEVICES/EQUIP. NOT NEEDED WITH COMPLETED RENOVATIONS.

LIGHTING FIXTURE SCHEDULE

TYPE A 2X4 SURFACE MOUNTED LED. LITHONIA CPANEL 2X4 AL 6" DIA. SWW7 WAC WS-180120-30-CH LED VANITY TYPE B

TYPE C HALCO 82990 SURFACE MOUNTED

6" DIA. LED

KEYLESS PORC FIXTURE W/ LED BULB TYPE D

& GUARD

TYPE E 48" UTILITY LED STRIP LIGHT

PLUMBING FIXTURE SCHEDULE

ELKAY D11721 DROP-IN S.S. SINK W/ AMERICAN STANDARD 7500.170 GOOSENECK FAUCET. 1/2" HOT & COLD, 1 1/2" PVC DRAIN, STUDER **VENT**

AMERICAN STANDARD CADET 3, WC-1 ELONGATED COMFORT HEIGHT W/ SOFT CLOSE SEAT. 1/2" COLD, 3" WASTE

LAV-1 AMERICAN STANDARD AQUALYN W/ BRASS POP-UP DRAIN, BRAIDED HOT & COLD SUPPLIES, DELTA PORTWOOD **FAUCET**

FIRE ALARM SCHEDULE

FIRE ALARM PANEL PER VCC 907 & NFPA 72

SMOKE DETECTOR - TIE TO FA

MANUAL PULL

HEAT DETECTOR



651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133


271 WEST VIEW STREET HARRISONBURG, VA 22801

TEL: 540.416.1022

ZEWEL OR **ENOVATIONS** BR

1 PERMIT SET

DESCRIPTION




COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

8/4/2023 2:57:52 PM

MECHANICAL LEVEL 1 PLAN

1 LEVEL 1 MEP PLAN 1/4" = 1'-0"



1) LEVEL 2 MEP PLAN 1/4" = 1'-0"

MEP GENERAL NOTES

A. TIE TO EXIST. ELECT. & PLUMBING SYSTEM.

B. PLUMBING SUPPLY LINES TO BE PEX, WASTE TO BE SCH. 40 PVC.

C. ELECTRICAL WIRING TYPICALLY TO BE ROMEX. ALL JB'S TO BE ACCESSIBLE. TIE TO EXIST. CIRCUITS EXCEPT AS NOTED.

D. REMOVE EXIST. DEVICES/EQUIP. NOT NEEDED WITH COMPLETED RENOVATIONS.

LIGHTING FIXTURE SCHEDULE

TYPE A 2X4 SURFACE MOUNTED LED. LITHONIA CPANEL 2X4 AL 6" DIA. SWW7 WAC WS-180120-30-CH LED VANITY TYPE B

TYPE C HALCO 82990 SURFACE MOUNTED 6" DIA. LED

KEYLESS PORC FIXTURE W/ LED BULB TYPE D & GUARD

48" UTILITY LED STRIP LIGHT TYPE E

PLUMBING FIXTURE SCHEDULE

ELKAY D11721 DROP-IN S.S. SINK W/ AMERICAN STANDARD 7500.170 GOOSENECK FAUCET. 1/2" HOT & COLD, 1 1/2" PVC DRAIN, STUDER **VENT**

WC-1 AMERICAN STANDARD CADET 3, ELONGATED COMFORT HEIGHT W/ SOFT CLOSE SEAT. 1/2" COLD, 3"

WASTE

LAV-1 AMERICAN STANDARD AQUALYN W/ BRASS POP-UP DRAIN, BRAIDED HOT & COLD SUPPLIES, DELTA PORTWOOD **FAUCET**

FIRE ALARM SCHEDULE FIRE ALARM PANEL PER VCC 907 &

NFPA 72

SMOKE DETECTOR - TIE TO FA

MANUAL PULL

HEAT DETECTOR

Huber Architects

651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

271 WEST VIEW STREET HARRISONBURG, VA 22801 TEL: 540.416.1022

ZEWEL OR **ENOVATIONS** BR

1 PERMIT SET

DESCRIPTION DATE




COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

DATE: 8/4/2023 2:57:53 PM

MECHANICAL LEVEL 2 PLAN



MEP GENERAL NOTES

A. TIE TO EXIST. ELECT. & PLUMBING SYSTEM.

B. PLUMBING SUPPLY LINES TO BE PEX, WASTE TO BE SCH. 40 PVC.

C. ELECTRICAL WIRING TYPICALLY TO BE ROMEX. ALL JB'S TO BE ACCESSIBLE. TIE TO EXIST. CIRCUITS EXCEPT AS NOTED.

D. REMOVE EXIST. DEVICES/EQUIP. NOT NEEDED WITH COMPLETED RENOVATIONS.

LIGHTING FIXTURE SCHEDULE

TYPE A	2X4 SURFACE MOUNTED LED. LITHONIA CPANEL 2X4 AL 6" DIA. SWW7
TYPE B	WAC WS-180120-30-CH LED VANITY
TYPE C	HALCO 82990 SURFACE MOUNTED 6" DIA. LED
TYPE D	KEYLESS PORC FIXTURE W/ LED BULB

KEYLESS PORC FIXTURE W/ LED BULB & GUARD

TYPE E 48" UTILITY LED STRIP LIGHT

PLUMBING FIXTURE SCHEDULE

1 ELKAY D11721 DROP-IN S.S. SINK W/
AMERICAN STANDARD 7500.170
GOOSENECK FAUCET. 1/2" HOT &
COLD, 1 1/2" PVC DRAIN, STUDER
VENT

C-1 AMERICAN STANDARD CADET 3, ELONGATED COMFORT HEIGHT W/ SOFT CLOSE SEAT. 1/2" COLD, 3" WASTE

AV-1 AMERICAN STANDARD AQUALYN W/
BRASS POP-UP DRAIN, BRAIDED HOT
& COLD SUPPLIES, DELTA PORTWOOD

FIRE ALARM SCHEDULE

FAUCET

FAP FIRE ALARM PANEL PER VCC 907 & NFPA 72

SMOKE DETECTOR - TIE TO FA

MANUAL PULL

HEAT DETECTOR



651 NORTH MAIN STREET, SUITE 5 MARION, VA 24354 TEL: 276.783.5133

TEL: 276.783.5133

271 WEST VIEW STREET
HARRISONBURG, VA 22801
TEL: 540.416.1022

NBURG, VA 22801 416.1022


RICHLANDS BRANCH TAZEWEL COUNTY PUBLIC LIBRARY

OR

ENOVATIONS

1 PERMIT SET

DESCRIPTION DATE



COPYRIGHT: 2021 ALL RIGHTS RESERVED. PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM HUBER ARCHITECTS, PC.

PROJECT: 2308

DATE: 8/4/2023 2:57:53 PM

MECHANICAL LEVEL 3 PLAN

1 <u>LEVEL 3 MEP PLAN</u> 1/4" = 1'-0"